L Number	Hits	Search Text	DB	Time stamp
-	7338	pixel ADJ electrde	USPAT; EPO; JPO	2001/07/02 20:55
-	22931	thin ADJ film ADJ transistor r TFT	USPAT; EPO; JPO	2001/07/02 20:56
-	48082	storage ADJ capacit$4	USPAT; EPO; JPO	2001/07/02 20:57
-	1135	metallic ADJ pattern	USPAT; EPO; JPO	2001/07/02 20:58
-	4557	(pixel ADJ electrode) and (thin ADJ film ADJ transistor or TFT)	USPAT; EPO; JPO	2001/07/02 20:58
-	699	(storage ADJ capacit$4) and ((pixel ADJ electrode) and (thin ADJ film ADJ transistor or TFT))	USPAT; EPO; JPO	2001/07/02 20:58
-	0	(metallic ADJ pattern) and ((storage ADJ capacit$4) and ((pixel ADJ electrode) and (thin ADJ film ADJ transistor or TFT)))	USPAT; EPO; JPO	2001/07/02 20:59
-	17508	wiring ADJ pattern	USPAT; EPO; JPO	2001/07/02 21:00
-	28	(wiring ADJ pattern) and ((storage ADJ capacit$4) and ((pixel ADJ electrode) and (thin ADJ film ADJ transistor or TFT)))	USPAT; EPO; JPO	2001/07/05 12:04
-	4	eletrode ADJ pattern	USPAT; EPO; JPO	2001/07/02 21:03
-	9840	electrode ADJ pattern	USPAT; EPO; JPO	2001/07/02 21:04
-	50	drain ADJ electrode ADJ pattern	USPAT; EPO; JPO	2001/07/02 21:05
-	50	storage ADJ electrode ADJ pattern	USPAT; EPO; JPO	2001/07/05 12:08
-	0	(drain ADJ electrode ADJ pattern) and (storage ADJ electrode ADJ pattern)	USPAT; EPO; JPO	2001/07/02 21:05
-	100	(drain ADJ electrode ADJ pattern) or (storage ADJ electrode ADJ pattern)	USPAT; EPO; JPO	2001/07/02 21:06
-	27943	contact ADJ hole	USPAT; EPO; JPO	2001/07/02 21:07
-	5	(drain ADJ electrode ADJ pattern) and (contact ADJ hole)	USPAT; EPO; JPO	2001/07/02 21:12
-	1	("5708483").PN.	USPAT; EPO; JPO	2001/07/02 21:13
-	2	("5737049").PN.	USPAT; EPO; JPO	2001/07/02 21:14
-	2	("5435324").PN.	USPAT; EPO; JPO	2001/07/02 21:14
-	41	(storage ADJ electrode ADJ pattern) and (contact ADJ hole)	USPAT; EPO; JPO	2001/07/05 12:19
-	0	storage ADJ electrode ADJ pattern with (periphry r annular)	USPAT; EP; JPO	2001/07/03 08:13
-	50	storage ADJ electrod ADJ pattern	USPAT; EPO; JPO	2001/07/03 08:16
-	41	(strage ADJ lectrode ADJ pattern) and (cntact ADJ hol)	USPAT; EPO; JPO	2001/07/03 13:07

-		0	((st rage ADJ lectr d ADJ patt rn) and (c ntact ADJ h le)) and pixel	USPAT; EPO; JPO	2001/07/03 08:19
-		0	(st rag ADJ electr d ADJ pattern) and pixel	USPAT; EPO; JPO	2001/07/03 08:19
-		0	(storage ADJ electr de ADJ pattern) and TFT	USPAT; EPO; JPO	2001/07/03 08:20
-		618	(electrode ADJ pattern) and (contact ADJ hole)	USPAT; EPO; JPO	2001/07/03 08:22
-		138	((electrode ADJ pattern) and (contact ADJ hole)) and pixel	USPAT; EPO; JPO	2001/07/03 08:22
-		93	(((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT	USPAT; EPO; JPO	2001/07/03 08:22
-		3	((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT) and storage ADJ electrode	USPAT; EPO; JPO	2001/07/03 16:34
-		1	((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT) and drain ADJ electrode ADJ pattern	USPAT; EPO; JPO	2001/07/03 13:05
-		64	((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT) and drain ADJ electrode	USPAT; EPO; JPO	2001/07/03 08:58
-		0	(((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT) and drain ADJ electrode) and (peripher$4 or annular) ADJ pattern	USPAT; EPO; JPO	2001/07/03 08:40
-		7	(peripher$4 or annular) ADJ storage ADJ electrode	USPAT; EPO; JPO	2001/07/03 09:01
-		15	(peripher$4 or annular) ADJ drain ADJ electrode	USPAT; EPO; JPO	2001/07/03 09:58
-		28	((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT) and (driving with peripher$4 or annular)	USPAT; EPO; JPO	2001/07/03 13:34
-		466	storage ADJ electrode with contact ADJ hole	USPAT; EPO; JPO	2001/07/03 11:24
-		1	(storage ADJ electrode with contact ADJ hole) and ((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT)	USPAT; EPO; JPO	2001/07/03 11:24
-		573	driving ADJ pattern	USPAT; EPO; JPO	2001/07/03 13:06
-		573	driving ADJ pattern	USPAT; EPO; JPO	2001/07/03 13:08
-		0	((((electrode ADJ pattern) and (contact ADJ hole)) and pixel) and TFT) and (driving ADJ pattern)	USPAT; EPO; JPO	2001/07/03 13:08
-		0	annular ADJ (driving ADJ pattern)	USPAT; EPO; JPO	2001/07/03 13:09
-		0	peripher$4 ADJ (driving ADJ pattern)	USPAT; EPO; JPO	2001/07/03 13:09
-		9	((((electr d ADJ pattern) and (c ntact ADJ h le)) and pixel) and TFT) and (peripher$4 r annular) ADJ driving	USPAT; EPO; JPO	2001/07/03 13:59
-		0	(peripher$4 r annular) ADJ driving ADJ layer	USPAT; EPO; JPO	2001/07/03 14:00

-	1	(p ripher$4 r annular) ADJ driving ADJ (layer r wir)	USPAT; EPO; JPO	2001/07/03 14:01
-	1052	s urc ADJ electrod with ntact ADJ hole	USPAT; EPO; JPO	2001/07/03 16:36
-	389	(source ADJ l ctrode with c ntact ADJ hole) and pix l	USPAT; EPO; JPO	2001/07/03 16:37
-	144	(source ADJ electrode with contact ADJ hole) with pixel ADJ electrode	USPAT; EPO; JPO	2001/07/03 16:38
-	1	((source ADJ electrode with contact ADJ hole) with pixel ADJ electrode) and drain ADJ electrode ADJ pattern	USPAT; EPO; JPO	2001/07/03 16:39
-	34	((storage ADJ capacit$4) and ((pixel ADJ electrode) and (thin ADJ film ADJ transistor or TFT))) and (electrode ADJ pattern)	USPAT; EPO; JPO	2001/07/05 11:36
-	7	storage ADJ electrode ADJ pattern with contact ADJ hole	USPAT; EPO; JPO	2001/07/05 12:09
-	466	storage ADJ electrode with contact ADJ hole	USPAT; EPO; JPO	2001/07/05 11:48
-	17	(storage ADJ electrode with contact ADJ hole) and pixel	USPAT; EPO; JPO	2001/07/05 11:48
-	0	storage ADJ electrode ADJ pattern with pixel	USPAT; EPO; JPO	2001/07/05 12:08
-	0	storage ADJ electrode ADJ pattern and pixel	USPAT; EPO; JPO	2001/07/05 12:09
-	66	storage ADJ electrode with pixel	USPAT; EPO; JPO	2001/07/05 12:10
-	1	(storage ADJ capacit$4 ADJ pattern) and (contact ADJ hole)	USPAT; EPO; JPO	2001/07/05 12:20
-	0	(storage ADJ capacit$4 ADJ pattern) with pixel	USPAT; EPO; JPO	2001/07/05 12:20
-	2	(storage ADJ capacit$4 ADJ pattern) and pixel	USPAT; EPO; JPO	2001/07/05 12:21